

BEIKE BIOTECHNOLOGY

Beike-Coordinated Patient Case Study

Septo-Optic Dysplasia

Female, 2 years old, June - August 2011

This case study has been produced by Beike Biotechnology in association with the doctors and medical staff of Chengyang People's Hospital of Qingdao. Information concerning the provided treatment and patient condition upon admission and discharge has been distributed to Beike by the treating facility's medical staff. All follow-up data has been provided directly to Beike by the patient and/or patient's guardians. For additional information about treatment, please send an inquiry at www.stemcellschina.com

Background

Age: 2 years old

Sex: Female

Nationality: American

Date of Admission: June 21, 2011

Date of Discharge: July 7, 2011

Treating Facility: Chengyang People's Hospital, Qingdao, China

Diagnosis on Admission: Septo-Optic Dysplasia (SOD)

Stem Cell Type: Beike-produced umbilical cord blood-derived stem cells (UCBSC)

Condition On Admission

The patient was admitted for treatment for her vision problem. Physical examination showed the movement of her eyeballs was good. Spontaneous nystagmus was present. Her pupils were normal in shape and reactive to light. The patient could differentiate between light and dark. Eye tests could not be conducted due to her young age; therefore it was difficult to confirm her exact visual acuity. The other tests after admission showed no significant abnormalities.

Treatment Schedule

Patient received 7 Beike-produced umbilical cord blood-derived stem cell (UCBSC) packets by intravenous (IV) injection as per schedule below:

Number	Date	Cell Type	Delivery Method	Side Effects
1	June 24, 2011	UCBSC	IV	none reported
2/3	June 27, 2011	UCBSC	IV	none reported
4/5	July 1, 2011	UCBSC	IV	none reported
6/7	July 4, 2011	UCBSC	IV	none reported

Condition On Discharge

After treatment the doctors noted the patient could track light with her right eye and the frequency of nystagmus had reduced. The family were pleased with the improvements there daughter had gained during the treatment, especially the improvements in her vision. They also reported at the time of discharge that her bowel function had also improved. The patient was now having a daily bowel movement, whereas prior to treatment it was every 2 or 3 days.

Below is an excerpt from the parent's completed survey at discharge:

Symptom	Parents' Assessment of Improvement
Blindness	Not applicable
Light perception	Moderate improvement
Ability to see hand movement	Not applicable
Able to count fingers	Not applicable
Vision in left eye	Small improvement
Vision in right eye	Moderate improvement
Visual field	Not applicable
Color Vision	Not applicable
Night vision	Not applicable
Ability to see things clearly	Small improvement
Ability to focus eyes quickly	Small improvement
Ability to keep eyes focused for a long time	Moderate improvement
Ability to see things at a close distance	Not applicable
Ability to see things at a far distance	Small improvement
Nystagmus (uncontrolled eye movement)	Small improvement

Follow-Up Information

Condition 3 months after treatment: The parents completed the Beike follow-up survey three months after the treatment. They were pleased with the improvements the treatment had given their daughter for both her physical condition and quality of life. In addition to the improvements in the symptoms listed below, the parents felt their daughter had more confidence to move around.

Below is an excerpt from the parent's completed 3-month follow-up survey:

Symptom	Parents' Assessment of Improvement
Blindness	Moderate improvement
Light perception	Moderate improvement
Ability to see hand movement	Significant improvement
Able to count fingers	Significant improvement
Vision in left eye	Significant improvement
Vision in right eye	Small improvement
Visual field	Not applicable
Color Vision	Small improvement
Night vision	Small improvement
Ability to see things clearly	Significant improvement
Ability to focus eyes quickly	Significant improvement
Ability to keep eyes focused for a long time	Significant improvement
Ability to see things at a close distance	Moderate improvement
Ability to see things at a far distance	Significant improvement
Nystagmus (uncontrolled eye movement)	Significant improvement

Condition 1 year after treatment: The parents also completed a Beike follow-up survey one year after their daughter’s treatment. They were satisfied with the outcome of the treatment and felt their daughter had made significant improvements in her quality of life and had further improved in her overall physical condition.

Below is an excerpt from the parent’s completed 1 year follow-up survey:

Symptom	Parents’ Assessment of Improvement
Blindness	Significant improvement
Light perception	Moderate improvement
Ability to see hand movement	Moderate improvement
Able to count fingers	Significant improvement
Vision in left eye	Significant improvement
Vision in right eye	Small improvement
Visual field	Small improvement
Color Vision	Significant improvement
Night vision	Small improvement
Ability to see things clearly	Moderate improvement
Ability to focus eyes quickly	Small improvement
Ability to keep eyes focused for a long time	Moderate improvement
Ability to see things at a close distance	Moderate improvement
Ability to see things at a far distance	Small improvement
Nystagmus (uncontrolled eye movement)	Significant improvement

Disclaimer: The medical information provided in this document is an information resource only and is not to be used or relied on for any diagnostic purpose.

BEIKE BIOTECHNOLOGY CO., LTD.

East Block, 2nd Floor, Yuanxing Technology Building, #1 Songpingshan Road
Nanshan District, Shenzhen, Guangdong, China

Tel: +86-755-8630-9277 Email: info@beikebiotech.com Fax: +86-755-8630-9309 Web: www.beikebiotech.com